

FELLING TRAILERS

ISO 9001:2015 Certified

COMPACT LOADER TRAILERS

for Compact Utility Loaders

FT-6 CL
48532-LAE



FT-10 CL
50499-PKJ



The **FELLING** *Style*
Quality ~ Craftsmanship ~ Pride




CL-103

Since 1974

COMPACT LOADER TRAILERS

Felling Trailers designed and engineered the Compact Loader Trailer model line with your equipment in mind. Each model is engineered to accommodate a wide variety of compact utility loaders along with their attachments (augers, leveler, trencher, fork attachment, etc.) These trailers provide safety and ease in loading and unloading of your compact utility loader with the low angle mesh ramp. This versatile trailer line offers three units with load capacities ranging from 5,100 lbs. to 11,100 lbs.




STANDARD FEATURES (5,000 lb. to 11,100 lb. capacities)

- 1.) Hitch - Adjustable 2-5/16" Ball Coupler Standard
Jack - 7K Top Wind FT-6 CL & FT-10 CL, 12K Side Wind on FT-12 CL
- 2.) Three Auger Bit Holder
- 3.) Removable Trencher/Auger Tray (6 D-rings & plywood floor)
- 4.) Tie Downs - 5/8" D-rings, FT-6 CL 4 on each side & 2 in front, FT-10 CL & FT-12 CL 6 on each side and 2 in front
- 5.) Ramp - 48" L x 76" W Full Width Mesh Top with Spring Assist
- 6.) Land Leveler Holder
- 7.) Pallet Fork Holders with Hold on Chains

The Trailer **EXPERTS.**



3.



4.



5.



FT-12CL
46187-NTU



6.



7.

Model above FT-12 CL shown with optional paint. • All specifications are subject to change.

COMPACT LOADER TRAILERS



FT-10 CL 50499-PKJ
Shown with optional spare wheel & tire mounted. Loaded with customer's equipment.



FT-3 Mini
90068-PKJ

Compact Loader Trailer Specifications	Deck Length	Deck Width	Trailer Weight (Approx.)	Deck Height (loaded)	Construction	Wheels & Tires	Ramps	Jack	GVWR (lbs.)
COMPACT LOADER SERIES									
FT-6 CL	10'	102" OD, 79" ID	1,900 lbs. / 862 kg.	16"	14" Solid Steel Pan Sides	ST235/80R16 E, 8 bolt	48" x 76" Full Width Mesh Top with Spring Assist	7K	6,900 lbs.
FT-10 CL	14'	102" OD, 79" ID	2,500 lbs. / 1,133 kg.	16"	14" Solid Steel Pan Sides	ST225/75R15 E, 6 bolt	48" x 76" Full Width Mesh Top with Spring Assist	7K	9,980 lbs.
FT-12 CL	14'	102" OD, 79" ID	2,700 lbs. / 1,224 kg.	16"	14" Solid Steel Pan Sides	ST235/80R16 E, 8 bolt	48" x 76" Full Width Mesh Top with Spring Assist	12K	14,000 lbs.
FT-3 Mini	8'	68" OD, 48" ID	660 lbs. / 299 kg.	14"	4" Solid Steel Pan Sides	ST205/75R14 C, 5 bolt	40" Wide x 42" Long, 3/4 x #9 Exp Metal Top	2K	2,999 lbs.

* All specifications are subject to change • Additional optional features available

To learn more about us, have us mail you a specific full color brochure, or locate our nearest Felling Dealer, go to www.felling.com or give us a call at 1-800-245-2809

Join Us Online



Your **FELLING TRAILERS** Dealer:

FELLING **TRAILERS**

Manufactured & Distributed by: **Felling Trailers, Inc.**
1525 Main St. S. • Sauk Centre, MN 56378
(320) 352-5239 • (320) 352-5230 FAX

Visit us online at www.felling.com

E-mail us at: trailers@felling.com

Call 1-800-245-2809

for your nearest dealer.

©2017 Felling Trailers, Inc. Form No. CL-103 10/17 Printed in U.S.A.

