


FELLING I - DRILL SERIES Drop Deck 12K - 24K Capacities

Designed with the Operator in mind, the I - Drill Series trailers provide capacity, load-ability, efficiency, and safety.

- Drill Kit Ready for optional elevated tank above the fender, steel mounting strips under the deck to mount the tank to, plus additional drill rod storage, with secure door (up to allowable weight limits).
 Optional Drill Kit mounted -kit includes pump mounting brackets, tank stands w/rod storage, and track stops (shown in image 4a & 4b) 4b shows rod storage with secure door.
- Ramps 6'x 16" spring assist ramps, mounted to one side with full width ramp rod (shown in image 3a & 3b).
- Tie Downs (10) D-Rings with key placement for safe transport of Drill (shown in image 2)
- Optional large lockable toolbox for reamers & drilling tools (shown in image 1)
- · Models available with Spring Suspension (28" loaded deck height) or Torsion Suspension (24" loaded deck height)







Trailer shown: FT-24 I-Drill Series with torsion suspension and optional features.

17

Tank Mounted Above Fender with Drill Kit — Mounted to Deck with Rod/Pipe Storage 3a.

3b.

11110

3

4b.

4a.

0

FELLING: LOW PRO DRILL SERIES Deck Over 30K - 50K Capacities

Operators work safer and faster when they trust their equipment and its capabilities. The Low Pro Drill Series provides that confidence with the double incline beavertail that reduces the top break over in half.

- Beavertail 6' double incline/double break (reduces top break over point in half), self-cleaning 5" x 3" angle iron (shown in image 2).
- Ramps 6' x 20" self-cleaning 5" x 3" angle iron spring assist ramps, shown in image 1a., (air powered or electric/hydraulic ramps optional), 7' air ramps shown in image 1b.
- · Hitch/Jack 6' Hitch, 140,000 lb Twin 2-Speed Jacks (shown in image 4a).
- Lockable toolbox for drilling tools (shown in image 4b), optional large lockable toolbox - for reamers & drilling tools
- Suspension 25K heavy duty 3-leaf springs, 9700 Hutch 49" spread spring suspension (shown in image 3)

3.





UTILITY POLE/POLE CARGO 4K-40K CAPACITIES

Utility Pole/Pole Cargo Standard Spec

FT-10-1 PT 82994-MRB

- · Positive Locking Hitch Adjustment Pin (see image A,) Heavy Duty Energy Chain (see image B)
- Several front bolster widths available, adjustable and removable lever locking stanchions, winch binder bar with storage, (3) 4" winch binders with 30' nylon strap
- · 10K, 12K, and 15K axles available in both single and tandem axle configurations
- · 5" double c-channel bolsters eliminates roll over associated with I-Beam bolsters



B.) Heavy Duty Energy Chain - 12-volt wiring and airlines (if air brake equipped)

FELLING.

F 60 **F** 7



FT-10 CL

50499-PKJ

are run internally in a heavy duty energy chain. No user intervention is required of wiring and airlines when extending and retracting the tongue.

FT-3 C Gas Pipe Coil w/Opt. Galvanizing 63329-NTU FT-3 Mini 90068-PKJ

UTILITY CABLE REEL 3K-20K CAPACITIES



 A.) 2" Positive Locking Hitch Adjustment Pin - Flange notches pass through 2 tabs welded 90°s from each other assuring a positive locked position.



FT-8 R 84769-MRR

FT-10 R 87556-BTK

Reel Standard Specs

- Reel Capacity up to 120"
 (Multi Reel Configurations available)
- Power up/down w/12V Hydraulic Pump
- std flow divider w/even flow to both cylinders, (2) button remote w/15' cord in lockable enclosure.
- Spring loaded pins
- · LED lighting w/sealed wiring harness

Reel with Inner Drum Steel Reel Built to Customer's Spec

- Hydraulic Pay Out/Take Up Assembly -Direct connection to reel bar, 2,100 lbs of line pull on 24" diameter drum
- Closed Center Two Lever Hydraulic Valve
 Locks reel In center position. Used for loading/unloading, take up/pay out of reel infinitely adjustable flow control for precise control of reel's RPMs
- 13HP hydraulic power pack Honda GX 390 w/electric start 8 GPM continuous @ 2,250 psi 20 gallon hydraulic reservoir



Reel with Hydraulic Pay Out/Take Up Assembly Rim Drive Built to Customer's Spec

- Hydraulic Pay Out/ Take Up Assembly Rim Drive Will drive reels from 20" up to 120" dia. drive wheel engagement is accomplished with a hydraulic cylinder. Various reel widths capable.
- 8 HP Hydraulic Power Pack Honda GX 240 w/electric start 3 GPM @ 3,000 psi, 15 gallon hydraulic reservoir
- (3) Lever Hydraulic Valve engagement of the hydraulic pay out assembly, drive wheel and loading all from one convenient location. Infinitely adjustable flow control for precise control of reel's RPMs
- 16" Tensioning Brake air cooled ventilated bronze disc infinitely adjustable brake caliper

The *TELLING* Style Quality - Craftsmanship - Pride

FELLING Trailers is a family owned and operated Full Line Trailer Manufacturer located in Central Minnesota. Started in 1974 by Merle J. and Kathy Felling, Felling's daughters Brenda Jennissen and Bonnie Radjenovich now own and operate the company with their spouses Patrick Jennissen and Paul Radjenovich. **FELLING** Trailers, Inc. has grown from a small shop to a factory and office complex that today covers over 260,000 square feet. **FELLING** Trailers currently manufactures over 5,000 trailers a year ranging from a 3,000 lb utility trailer to a 120,000 lb hydraulic gooseneck trailer, and its standard trailer line includes over 240 models. Felling's pride and differentiation is its customized trailer division. Its engineers utilize the latest Industry-leading design techniques, and its experienced metal craftsmen use cutting-edge technology to turn its customers' conceptual trailer needs into a tangible product. **FELLING** Trailers continually researches and implements new technologies to reduce lead-time and increase production in the manufacturing plant. Felling has been providing innovative trailer solutions to the transportation industry for over 40 years. With over 100 years combined industry sales experience, we have the answers to your specialized trailer needs. **FELLING** Trailers' current capabilities allow them to provide a highquality product that is distributed across North America and internationally. **FELLING** Trailers, Inc. is an ISO 9001:2015 Certified Company.

LIMITED

Your *FELLING* TRAILERS Dealer:

FELLING TRAILERS INC.

Manufactured & Distributed by: **Felling Trailers, Inc.** 1525 Main St. S. • Sauk Centre, MN 56378 (320) 352-5239 • (320) 352-5230 FAX

Visit us online at www.felling.com

WARRAN

E-mail us at: trailers@felling.com

Call 1-800-245-2809 for your nearest dealer.



